



Certificate of Analysis

Pages 1 of 5

PASSED



Batch #: 3823 2912 3025 1504
Harvest Date: 03/20/26
Manufacturing Date: 08/21/26
Production Method: Butane
Total Amount: 10 gram

Lab ID: TE60831002-015
Ordered: 08/27/26
Sampled Date: 08/31/26
Sample Collection Time: 01:05 PM
Sample Size: 95.42 gram
Completed: 09/08/26

White Mountain Health Center

9420 W. Bell RD
Sun City, AZ, 85351, US
License #: 00000083ESGB09219996



SAFETY RESULTS

MISC.



Pesticide
PASSED



Heavy Metals
PASSED



Microbial
PASSED



Mycotoxins
PASSED



Solvents
PASSED



Filtration
Material
NOT TESTED



Water Activity
NOT TESTED



Moisture
Content
NOT TESTED



Vitamin E
NOT TESTED



Terpenes
NOT TESTED



Cannabinoid

PASSED



Total THC
79.2060%



Total CBD
2.1330%



Total Cannabinoids Q3
81.5800%

	D10-THC	D9-THC	THCA	CBD	CBDA	CBG	CBGA	CBN	D8-THC	THCV	CBDV	CBC
%	ND	79.2060	ND	2.1330	ND	ND	ND	0.2410	ND	ND	ND	ND
mg/g	ND	792.0600	ND	21.3300	ND	ND	ND	2.4100	ND	ND	ND	ND
Qualifier		D1	D1	D1	D1	D1	D1	D1	D1	D1	D1	D1
LOD (%)	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001
LOQ (%)	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001

Analyzed by:
432, 135, 272, 862

Weight:
0.1541g

Extraction date:
09/02/26 11:52:24

Extracted by:
882,432

Analysis Method : SOP.T.30.500, SOP.T.30.031, SOP.T.40.031

Analytical Batch : TE015544POT

Instrument Used : TE-245 "Buttercup" (Infused)

Analyzed Date : 09/06/26 07:18:39

Batch Date : 08/31/26 19:51:00

Dilution : 800

Reagent : N/A

Consumables : N/A

Pipette : N/A

Full spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with Photo Diode Array detector (HPLC-PDA) for analysis. (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.031 for sample prep, SOP.T.40.031 for analysis on Shimadzu LC-20X0 series HPLCs). Potency results for cannabis flower products are reported on an "as received" basis, without moisture correction.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Testing results were obtained according to requirements stated in QMS.100.010.AZ Quality Manual.

Ariel Casey
Lab Director

State License #
00000024LCMD66604568
ISO 17025 Accreditation #
97164

Signature
09/08/26
Laboratory License #:
00000024LCMD66604568



Certificate of Analysis

Pages 2 of 5

White Mountain Health Center
9420 W. Bell RD
Sun City, AZ, 85351, US
License # : 00000083ESGB09219996

Sample: TE60831002-015
Batch #: 3823 2912 3025 1504

Ordered: 08/27/26
Sampled: 08/31/26
Completed: 09/08/26

PASSED

	Pesticide	PASSED
---	------------------	---------------

ANALYTES	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
AVERMECTINS (ABAMECTIN B1A)	0.5	0.0170	0.250	ND	ppm		PASS
ACEPHATE	0.4	0.0100	0.200	ND	ppm		PASS
ACETAMIPRID	0.2	0.00500	0.100	ND	ppm		PASS
ALDICARB	0.4	0.0140	0.200	ND	ppm		PASS
AZOXYSTROBIN	0.2	0.00500	0.100	ND	ppm		PASS
BIFENAZATE	0.2	0.00600	0.100	ND	ppm		PASS
BIFENTHRIN	0.2	0.00500	0.100	ND	ppm		PASS
BOSCALID	0.4	0.00500	0.200	ND	ppm		PASS
CARBARYL	0.2	0.00800	0.100	ND	ppm		PASS
CARBOFURAN	0.2	0.00500	0.100	ND	ppm		PASS
CHLORANTRANILIPROLE	0.2	0.0110	0.100	ND	ppm		PASS
CHLORPYRIFOS	0.2	0.00500	0.100	ND	ppm		PASS
CLOFENTEZINE	0.2	0.0100	0.100	ND	ppm		PASS
CYPERMETHRIN	1	0.100	0.500	ND	ppm		PASS
DAMINOZIDE	1	0.0100	0.500	ND	ppm		PASS
DIAZINON	0.2	0.00600	0.100	ND	ppm		PASS
DICHLORVOS (DDVP)	0.1	0.00100	0.0500	ND	ppm		PASS
DIMETHOATE	0.2	0.00600	0.100	ND	ppm		PASS
ETHOPROPHOS	0.2	0.00400	0.100	ND	ppm		PASS
ETOFENPROX	0.4	0.00600	0.200	ND	ppm		PASS
ETOXAZOLE	0.2	0.00400	0.100	ND	ppm		PASS
FENOXYCARB	0.2	0.00500	0.100	ND	ppm		PASS
FENPYROXIMATE	0.4	0.00400	0.200	ND	ppm		PASS
FIPRONIL	0.4	0.00600	0.200	ND	ppm		PASS
FLONICAMID	1	0.00900	0.500	ND	ppm		PASS
FLUDIOXONIL	0.4	0.00600	0.200	ND	ppm		PASS
HEXYTHIAZOX	1	0.00500	0.500	ND	ppm		PASS
IMAZALIL	0.2	0.0110	0.100	ND	ppm		PASS
IMIDACLOPRID	0.4	0.00800	0.200	ND	ppm		PASS
KRESOXIM-METHYL	0.4	0.00700	0.200	ND	ppm		PASS
MALATHION	0.2	0.00700	0.100	ND	ppm		PASS
METALAXYL	0.2	0.00400	0.100	ND	ppm		PASS
METHIOCARB	0.2	0.00400	0.100	ND	ppm		PASS
METHOMYL	0.4	0.00500	0.200	ND	ppm		PASS
MYCLOBUTANIL	0.2	0.0100	0.100	ND	ppm		PASS
NALED	0.5	0.00700	0.250	ND	ppm		PASS
OXAMYL	1	0.00800	0.500	ND	ppm		PASS
PACLOBUTRAZOL	0.4	0.00500	0.200	ND	ppm		PASS
TOTAL PERMETHRINS	0.2	0.00300	0.100	ND	ppm		PASS
PHOSMET	0.2	0.0100	0.100	ND	ppm		PASS
PIPERONYL BUTOXIDE	2	0.00500	1.00	ND	ppm		PASS
PRALLETHRIN	0.2	0.0130	0.100	ND	ppm		PASS
PROPICONAZOLE	0.4	0.00500	0.200	ND	ppm		PASS
PROPOXUR	0.2	0.00500	0.100	ND	ppm		PASS
TOTAL PYRETHRINS	1	0.00100	0.500	ND	ppm		PASS
PYRIDABEN	0.2	0.00400	0.100	ND	ppm		PASS
TOTAL SPINOSAD	0.2	0.00600	0.100	ND	ppm		PASS
SPIROMESIFEN	0.2	0.00800	0.100	ND	ppm		PASS
SPIROTETRAMAT	0.2	0.00600	0.100	ND	ppm		PASS
SPIROXAMINE	0.4	0.00400	0.200	ND	ppm		PASS
TEBUCONAZOLE	0.4	0.00400	0.200	ND	ppm		PASS
THIACLOPRID	0.2	0.00600	0.100	ND	ppm		PASS
THIAMETHOXAM	0.2	0.00600	0.100	ND	ppm		PASS
TRIFLOXYSTROBIN	0.2	0.00600	0.100	ND	ppm		PASS

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Testing results were obtained according to requirements stated in QMS.100.010.AZ Quality Manual.

Ariel Casey
Lab Director

State License #
00000024LCMD66604568
ISO 17025 Accreditation #
97164

Signature
09/08/26
Laboratory License #:
00000024LCMD66604568



Certificate of Analysis

Pages 3 of 5

White Mountain Health Center
9420 W. Bell RD
Sun City, AZ, 85351, US
License # : 00000083ESGB09219996

Sample: TE60831002-015
Batch #: 3823 2912 3025 1504

Ordered: 08/27/26
Sampled: 08/31/26
Completed: 09/08/26

PASSED

	Pesticide	PASSED
---	------------------	---------------

ANALYTES	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
CHLORFENAPYR	1	0.0270	0.500	ND	ppm		PASS
CYFLUTHRIN	1	0.0150	0.500	ND	ppm		PASS

Analyzed by: 901, 272, 862	Weight: 1.0974g	Extraction date: 09/02/26 12:59:37	Extracted by: 882,803
--------------------------------------	---------------------------	--	---------------------------------

Analysis Method : SOP.T.30.500, SOP.T.30.104.AZ, SOP.T.40.104.AZ

Analytical Batch : TE015548PES

Instrument Used : TE-118 - "MS/MS PES/VOL/MYC 1", TE-261 LC - "PES/VOL/MYC 1"

Batch Date : 08/31/26 19:56:36

Analyzed Date : 09/03/26 19:57:03

Dilution : 50

Reagent : 081326.R13; 083126.R05; 081826.R07; 081926.R16; 090226.R01; 090126.R01; 081226.R06; 080326.R20; 090126.R02

Consumables : 927.009; 8000038072; 260103-7060-A; 1010550878; 1011151662; GD250006; 626140-KA

Pipette : TE-062 SN:20C50491; TE-068 SN:21C43933

Pesticide screening is carried out using LC-MS/MS (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.104.AZ for sample prep, and SOP.T.40.104.AZ for analysis on ThermoScientific Altis TSQ with Vanquish UHPLC).

Analyzed by: 901, 272, 862	Weight: 1.0974g	Extraction date: 09/02/26 12:59:37	Extracted by: 882,803,901
--------------------------------------	---------------------------	--	-------------------------------------

Analysis Method : SOP.T.30.500, SOP.T.30.104.AZ, SOP.T.40.154.AZ

Analytical Batch : TE015594VOL

Instrument Used : TE-118 "MS/MS Pest/Myco 1", TE-261 "UHPLC - Pest/Myco 1"

Batch Date : 09/03/26 09:47:19

Analyzed Date : 09/03/26 20:00:06

Dilution : 50

Reagent : 081326.R13; 083126.R05; 081826.R07; 081926.R16; 090226.R01; 090126.R01; 081226.R06; 080326.R20; 090126.R02

Consumables : 927.009; 8000038072; 260103-7060-A; 1010550878; 1011151662; GD250006; 626140-KA

Pipette : TE-062 SN:20C50491; TE-068 SN:21C43933

Chlorfenapyr and Cyfluthrin analysis using LC-MS/MS. (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.104.AZ for sample prep, and SOP.T.40.104.AZ for analysis on ThermoScientific Altis TSQ with Vanquish UHPLC)

	Residual Solvents	PASSED
---	--------------------------	---------------

ANALYTES	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
BUTANES	5000	159	2400	ND	ppm	V1,L1	PASS
METHANOL	3000	111	1440	ND	ppm		PASS
PENTANES	5000	267	2400	ND	ppm	V1	PASS
ETHANOL	5000	157	2400	ND	ppm		PASS
ETHYL ETHER	5000	216	2400	ND	ppm		PASS
ACETONE	1000	33.7	480	ND	ppm		PASS
2-PROPANOL	5000	215	2400	ND	ppm		PASS
ACETONITRILE	410	11.4	197	ND	ppm		PASS
DICHLOROMETHANE	600	21.8	288	ND	ppm		PASS
HEXANES	290	7.64	139	ND	ppm		PASS
ETHYL ACETATE	5000	187	2400	ND	ppm		PASS
CHLOROFORM	60	1.77	28.8	ND	ppm		PASS
BENZENE	2	0.161	1.00	ND	ppm		PASS
HEPTANE	5000	248	2400	ND	ppm		PASS
ISOPROPYL ACETATE	5000	160	2400	ND	ppm		PASS
TOLUENE	890	27.0	427	ND	ppm		PASS
XYLENES	2170	94.5	1040	ND	ppm		PASS

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Testing results were obtained according to requirements stated in QMS.100.010.AZ Quality Manual.

Ariel Casey
Lab Director

State License #
00000024LCMD66604568
ISO 17025 Accreditation #
97164



Signature
09/08/26
Laboratory License #:
00000024LCMD66604568



Certificate of Analysis

Pages 4 of 5

White Mountain Health Center
9420 W. Bell RD
Sun City, AZ, 85351, US
License # : 00000083ESGB09219996

Sample: TE60831002-015
Batch #: 3823 2912 3025 1504

Ordered: 08/27/26
Sampled: 08/31/26
Completed: 09/08/26

PASSED



Residual Solvents

PASSED

ANALYTES		LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
Analyzed by: 432, 272, 862	Weight: 0.0202g	Extraction date: 09/02/26 21:55:46			Extracted by: 432			
Analysis Method : SOP.T.40.044.AZ								
Analytical Batch : TE015550SOL								
Instrument Used : TE-285 "MS - Solvents 2"				Batch Date : 08/31/26 20:07:00				
Analyzed Date : 09/03/26 19:05:45								
Dilution : N/A								
Reagent : N/A								
Consumables : N/A								
Pipette : N/A								

Residual solvents screening is performed using GC-MS which can detect below single digit ppm concentrations. (Method: SOP.T.40.044.AZ for sample prep and analysis via ThermoScientific 1310-series GC equipped with a TriPlus 500 Headspace autosampler and detection carried out by ISQ7000-series mass spectrometer). Butanes are reported as the sum of n-Butane and Isobutane. Pentanes are reported as the sum of n-Pentane, Isopentane, and Neopentane. Hexanes are reported as the sum of n-Hexane, 2-Methylpentane, 3-Methylpentane, 2,2-Dimethylbutane, and 2,3-Dimethylbutane. Xylenes are reported as the sum of Ethyl Benzene, m-Xylene, p-Xylene, and o-Xylene.



Microbial

PASSED

ANALYTES		LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
SALMONELLA SPP.		1	1.00	1.00	Not Detected in 1g	pass/fail		PASS
ASPERGILLUS FLAVUS		0.999	1.00	1.00	Not Detected in 1g	pass/fail		PASS
ASPERGILLUS FUMIGATUS		0.999	1.00	1.00	Not Detected in 1g	pass/fail		PASS
ASPERGILLUS TERREUS		0.999	1.00	1.00	Not Detected in 1g	pass/fail		PASS
ESCHERICHIA COLI (REC)		100	10.0	10.0	<LOQ	CFU/g		PASS
Analyzed by: 527, 272, 862		Weight: NA		Extraction date: N/A		Extracted by: N/A		
Analysis Method : SOP.T.40.056B, SOP.T.40.058.FL, SOP.T.40.208, SOP.T.40.209.AZ								
Analytical Batch : TE015556MIC								
Instrument Used : TE-234 "bioMerieux GENE-UP"					Batch Date : 09/01/26 10:48:52			
Analyzed Date : 09/03/26 19:56:50								
Dilution : N/A								
Reagent : N/A								
Consumables : N/A								
Pipette : N/A								

Microbiological screening for bacterial and fungal identification via Polymerase Chain Reaction (PCR) methods consisting of sample DNA amplified via tandem PCR as a crude lysate without purification. (Methods: SOP.T.40.058.AZ for sample prep and screening for Salmonella and Aspergillus sp. via BioMérieux GENE-UP RT-PCR and SOP.T.40.209.AZ for quantitative plating of E. coli on 3M Rapid E. coli Petrifilm.



Mycotoxins

PASSED

ANALYTES		LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
TOTAL AFLATOXINS		20	3.03	10.0	ND	ppb		PASS
AFLATOXIN B1		20	3.03	10.0	ND	ppb		PASS
AFLATOXIN B2		20	3.03	10.0	ND	ppb		PASS
AFLATOXIN G1		20	3.03	10.0	ND	ppb		PASS
AFLATOXIN G2		20	3.03	10.0	ND	ppb		PASS
OCHRATOXIN A		20	3.03	10.0	ND	ppb		PASS

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Testing results were obtained according to requirements stated in QMS.100.010.AZ Quality Manual.

Ariel Casey
Lab Director

State License #
00000024LCMD66604568
ISO 17025 Accreditation #
97164

Ariel Casey

Signature
09/08/26
Laboratory License #:
00000024LCMD66604568



Certificate of Analysis

Pages 5 of 5

White Mountain Health Center
9420 W. Bell RD
Sun City, AZ, 85351, US
License #: 00000083ESGB09219996

Sample: TE60831002-015
Batch #: 3823 2912 3025 1504

Ordered: 08/27/26
Sampled: 08/31/26
Completed: 09/08/26

PASSED



Mycotoxins

PASSED

ANALYTES		LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
Analyzed by: 901, 272, 862	Weight: 1.0974g	Extraction date: 09/02/26 12:59:37			Extracted by: 882,803,901			
Analysis Method : SOP.T.30.500, SOP.T.30.104.AZ, SOP.T.40.104.AZ								
Analytical Batch : TE015595MYC								
Instrument Used : TE-118 "MS/MS Pest/Myco 1",TE-261 "UHPLC - Pest/Myco 1					Batch Date : 09/03/26 09:48:04			
Analyzed Date : 09/03/26 20:00:01								
Dilution : 50								
Reagent : 081326.R13; 083126.R05; 081826.R07; 081926.R16; 090226.R01; 090126.R01; 081226.R06; 080326.R20; 090126.R02								
Consumables : 927.009; 8000038072; 260103-7060-A; 1010550878; 1011151662; GD250006; 626140-KA								
Pipette : TE-062 SN:20C50491; TE-068 SN:21C43933								
Aflatoxins B1, B2, G1, G2, and Ochratoxin A analysis using LC-MS/MS. (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.104.AZ for sample prep, and SOP.T.40.104.AZ for analysis on ThermoScientific Altis TSQ with Vanquish UHPLC). Total Aflatoxins (sum of Aflotoxins B1, B2, G1, G2) must be <20µg/kg. Ochratoxin must be <20µg/kg.								



Heavy Metals

PASSED

ANALYTES	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
ARSENIC	0.4	0.0660	0.200	ND	ppm		PASS
CADMIUM	0.4	0.0660	0.200	ND	ppm		PASS
LEAD	1	0.166	0.500	ND	ppm		PASS
MERCURY	0.2	0.0333	0.100	ND	ppm		PASS
Analyzed by: 331, 272, 862	Weight: 0.2007g	Extraction date: 09/03/26 13:56:13				Extracted by: 331	
Analysis Method : SOP.T.30.500, SOP.T.30.084.AZ, SOP.T.40.084.AZ							
Analytical Batch : TE015546HEA							
Instrument Used : TE-307 "Ted"				Batch Date : 08/31/26 19:54:09			
Analyzed Date : 09/03/26 18:55:40							
Dilution : 50							
Reagent : N/A							
Consumables : N/A							
Pipette : N/A							
Heavy Metals screening is performed using ICP-MS (Inductively Coupled Plasma – Mass Spectrometer) which can screen down to below single digit ppb concentrations for regulated heavy metals. (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.084.AZ for sample prep by microwave digestion, and SOP.T.40.084.AZ for analysis by ThermoScientific iCAP RQ ICP-MS).							

CONFIDENT CANNABIS QR

* Confident Cannabis sample ID: 2608KLAZ1114.5718

