



Certificate of Analysis

Pages 1 of 5

PASSED



Batch #: 7099 1759 4495 2698
Harvest Date: 01/06/26
Manufacturing Date: 10/01/26
Production Method: Butane
Total Amount: 10 gram

Lab ID: TE61005003-007
Ordered: 10/05/26
Sample Date: 10/05/26
Sample Collection Time: 11:30 AM
Sample Size: 90.00 gram
Completed: 10/07/26

White Mountain Health Center

9420 W. Bell RD
Sun City, AZ, 85351, US
License #: 00000083E5GB09219996



SAFETY RESULTS

MISC.



Pesticide
PASSED



Heavy Metals
PASSED



Microbial
PASSED



Mycotoxins
PASSED



Solvents
PASSED



Filtration/Foreign
Material
NOT TESTED



Water Activity
NOT TESTED



Moisture
Content
NOT TESTED



Vitamin E
NOT TESTED



Terpenes
NOT TESTED



Cannabinoid

PASSED



Total THC
82.3309%



Total CBD
ND



Total Cannabinoids Q3
94.8020%

	D10-THC	D9-THC	THCA	CBD	CBDA	CBG	CBGA	CBN	D8-THC	THCV	CBDV	CBC
%	ND	2.2810	91.2770	ND	ND	ND	0.3990	0.8450	ND	ND	ND	ND
mg/g	ND	22.8100	912.7700	ND	ND	ND	3.9900	8.4500	ND	ND	ND	ND
Qualifier		D1	D1	D1	D1	D1	D1	D1	D1	D1	D1	D1
LOD (%)	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001
LOQ (%)	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001

Analyzed by:
803, 540, 602, 882

Weight:
0.1514g

Extraction date:
10/06/26 11:18:29

Extracted by:
803

Analysis Method : SOP.T.30.500, SOP.T.30.031, SOP.T.40.031

Analytical Batch : TE016021POT

Instrument Used : TE-245 "Buttercup" (Infused)

Analyzed Date : 10/07/26 16:03:59

Batch Date : 10/02/26 10:26:06

Dilution : 800

Reagent : N/A

Consumables : N/A

Pipette : N/A

Full spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with Photo Diode Array detector (HPLC-PDA) for analysis. (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.031 for sample prep, SOP.T.40.031 for analysis on Shimadzu LC-20X0 series HPLCs). Potency results for cannabis flower products are reported on an "as received" basis, without moisture correction.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Testing results were obtained according to requirements stated in QMS.100.010.AZ Quality Manual.

Ariel Casey
Lab Director

State License #
00000024LCMD66604568
ISO 17025 Accreditation #
97164

Ariel Casey

Signature
10/07/26

Laboratory License #: 00000024LCMD66604568



Certificate of Analysis

Pages 2 of 5

White Mountain Health Center
9420 W. Bell RD
Sun City, AZ, 85351, US
License #: 00000083ESGB09219996

Sample: TE61005003-007
Batch #: 7099 1759 4495 2698

Ordered: 10/05/26
Sampled: 10/05/26
Completed: 10/07/26

PASSED

	Pesticide	PASSED
---	------------------	---------------

ANALYTES	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
AVERMECTINS (ABAMECTIN B1A)	0.5	0.0170	0.250	ND	ppm	L1	PASS
ACEPHATE	0.4	0.0100	0.200	ND	ppm		PASS
ACETAMIPRID	0.2	0.00500	0.100	ND	ppm		PASS
ALDICARB	0.4	0.0140	0.200	ND	ppm		PASS
AZOXYSTROBIN	0.2	0.00500	0.100	ND	ppm		PASS
BIFENAZATE	0.2	0.00600	0.100	ND	ppm		PASS
BIFENTHRIN	0.2	0.00500	0.100	ND	ppm		PASS
BOSCALID	0.4	0.00500	0.200	ND	ppm		PASS
CARBARYL	0.2	0.00800	0.100	ND	ppm		PASS
CARBOFURAN	0.2	0.00500	0.100	ND	ppm		PASS
CHLORANTRANILIPROLE	0.2	0.0110	0.100	ND	ppm		PASS
CHLORPYRIFOS	0.2	0.00500	0.100	ND	ppm		PASS
CLOFENTEZINE	0.2	0.0100	0.100	ND	ppm		PASS
CYPERMETHRIN	1	0.100	0.500	ND	ppm	L1, V1	PASS
DAMINOZIDE	1	0.0100	0.500	ND	ppm		PASS
DIAZINON	0.2	0.00600	0.100	ND	ppm		PASS
DICHLORVOS (DDVP)	0.1	0.00100	0.0500	ND	ppm		PASS
DIMETHOATE	0.2	0.00600	0.100	ND	ppm		PASS
ETHOPROPHOS	0.2	0.00400	0.100	ND	ppm		PASS
ETOFENPROX	0.4	0.00600	0.200	ND	ppm		PASS
ETOXAZOLE	0.2	0.00400	0.100	ND	ppm		PASS
FENOXYCARB	0.2	0.00500	0.100	ND	ppm		PASS
FENPYROXIMATE	0.4	0.00400	0.200	ND	ppm		PASS
FIPRONIL	0.4	0.00600	0.200	ND	ppm		PASS
FLONICAMID	1	0.00900	0.500	ND	ppm	V1	PASS
FLUDIOXONIL	0.4	0.00600	0.200	ND	ppm		PASS
HEXYTHIAZOX	1	0.00500	0.500	ND	ppm		PASS
IMAZALIL	0.2	0.0110	0.100	ND	ppm		PASS
IMIDACLOPRID	0.4	0.00800	0.200	ND	ppm		PASS
KRESOXIM-METHYL	0.4	0.00700	0.200	ND	ppm		PASS
MALATHION	0.2	0.00700	0.100	ND	ppm		PASS
METALAXYL	0.2	0.00400	0.100	ND	ppm		PASS
METHIOCARB	0.2	0.00400	0.100	ND	ppm		PASS
METHOMYL	0.4	0.00500	0.200	ND	ppm		PASS
MYCLOBUTANIL	0.2	0.0100	0.100	ND	ppm		PASS
NALED	0.5	0.00700	0.250	ND	ppm		PASS
OXAMYL	1	0.00800	0.500	ND	ppm		PASS
PACLOBUTRAZOL	0.4	0.00500	0.200	ND	ppm		PASS
TOTAL PERMETHRINS	0.2	0.00300	0.100	ND	ppm		PASS
PHOSMET	0.2	0.0100	0.100	ND	ppm		PASS
PIPERONYL BUTOXIDE	2	0.00500	1.00	ND	ppm		PASS
PRALLETHRIN	0.2	0.0130	0.100	ND	ppm		PASS
PROPICONAZOLE	0.4	0.00500	0.200	ND	ppm	L1	PASS
PROPOXUR	0.2	0.00500	0.100	ND	ppm		PASS
TOTAL PYRETHRINS	1	0.00100	0.500	ND	ppm		PASS
PYRIDABEN	0.2	0.00400	0.100	ND	ppm		PASS
TOTAL SPINOSAD	0.2	0.00600	0.100	ND	ppm		PASS
SPIROMESIFEN	0.2	0.00800	0.100	ND	ppm		PASS
SPIROTETRAMAT	0.2	0.00600	0.100	ND	ppm		PASS
SPIROXAMINE	0.4	0.00400	0.200	ND	ppm		PASS
TEBUCONAZOLE	0.4	0.00400	0.200	ND	ppm		PASS
THIACLOPRID	0.2	0.00600	0.100	ND	ppm		PASS
THIAMETHOXAM	0.2	0.00600	0.100	ND	ppm		PASS
TRIFLOXYSTROBIN	0.2	0.00600	0.100	ND	ppm		PASS

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Testing results were obtained according to requirements stated in QMS.100.010.AZ Quality Manual.

Ariel Casey
Lab Director

State License #
00000024LCMD66604568
ISO 17025 Accreditation #
97164



Signature
10/07/26
Laboratory License #:
00000024LCMD66604568



Certificate of Analysis

Pages 3 of 5

White Mountain Health Center

9420 W. Bell RD
Sun City, AZ, 85351, US
License #: 00000083ESGB09219996

Sample: TE61005003-007

Batch #: 7099 1759 4495 2698

Ordered: 10/05/26
Sampled: 10/05/26
Completed: 10/07/26

PASSED

	Pesticide	PASSED
---	------------------	---------------

ANALYTES	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
CHLORFENAPYR	1	0.0270	0.500	ND	ppm		PASS
CYFLUTHRIN	1	0.0150	0.500	ND	ppm	V1	PASS

Analyzed by: 882, 901, 602	Weight: 1.048g	Extraction date: 10/06/26 11:05:15	Extracted by: 882
-------------------------------	-------------------	---------------------------------------	----------------------

Analysis Method : SOP.T.30.500, SOP.T.30.104.AZ, SOP.T.40.104.AZ

Analytical Batch : TE016010PES

Instrument Used : TE-118 - "MS/MS PES/VOL/MYC 1"

Batch Date : 10/02/26 07:59:42

Analyzed Date : 10/07/26 16:08:27

Dilution : 50

Reagent : N/A

Consumables : N/A

Pipette : N/A

Pesticide screening is carried out using LC-MS/MS (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.104.AZ for sample prep, and SOP.T.40.104.AZ for analysis on ThermoScientific Altis TSQ with Vanquish UHPLC).

Analyzed by: 901, 602, 882	Weight: 1.048g	Extraction date: 10/06/26 11:05:15	Extracted by: 882,901
-------------------------------	-------------------	---------------------------------------	--------------------------

Analysis Method : SOP.T.30.500, SOP.T.30.104.AZ, SOP.T.40.154.AZ

Analytical Batch : TE016067VOL

Instrument Used : TE-118 "MS/MS Pest/Mycro 1"

Batch Date : 10/06/26 14:57:00

Analyzed Date : 10/07/26 16:14:06

Dilution : 50

Reagent : N/A

Consumables : N/A

Pipette : N/A

Chlorfenapyr and Cyfluthrin analysis using LC-MS/MS. (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.104.AZ for sample prep, and SOP.T.40.104.AZ for analysis on ThermoScientific Altis TSQ with Vanquish UHPLC)

	Residual Solvents	PASSED
---	--------------------------	---------------

ANALYTES	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
BUTANES	5000	168	2400	ND	ppm	V1	PASS
METHANOL	3000	87.7	1440	ND	ppm	V1	PASS
PENTANES	5000	164	2400	ND	ppm	V1,L1	PASS
ETHANOL	5000	142	2400	ND	ppm	V1	PASS
ETHYL ETHER	5000	193	2400	ND	ppm	V1	PASS
ACETONE	1000	37.6	480	ND	ppm	V1	PASS
2-PROPANOL	5000	156	2400	ND	ppm		PASS
ACETONITRILE	410	12.2	197	ND	ppm	V1	PASS
DICHLOROMETHANE	600	22.7	288	ND	ppm	V1	PASS
HEXANES	290	8.40	139	ND	ppm	V1,L1	PASS
ETHYL ACETATE	5000	179	2400	ND	ppm	V1	PASS
CHLOROFORM	60	2.41	28.8	ND	ppm	V1	PASS
BENZENE	2	0.115	1.00	ND	ppm	V1	PASS
HEPTANE	5000	153	2400	ND	ppm	V1	PASS
ISOPROPYL ACETATE	5000	169	2400	ND	ppm	V1	PASS
TOLUENE	890	26.2	427	ND	ppm	V1	PASS
XYLENES	2170	53.2	1040	ND	ppm	V1	PASS

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Testing results were obtained according to requirements stated in QMS.100.010.AZ Quality Manual.

Ariel Casey

Lab Director

State License #
00000024LCMD66604568
ISO 17025 Accreditation #
97164



Signature
10/07/26

Laboratory License #:
00000024LCMD66604568



Certificate of Analysis

Pages 4 of 5

White Mountain Health Center
9420 W. Bell Rd
Sun City, AZ, 85351, US
License # : 00000083ESGB09219996

Sample: TE61005003-007
Batch #: 7099 1759 4495 2698

Ordered: 10/05/26
Sampled: 10/05/26
Completed: 10/07/26

PASSED



Residual Solvents

PASSED

ANALYTES		LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
Analyzed by: 432, 602, 882	Weight: 0.02074g	Extraction date: 10/06/26 14:46:10			Extracted by: 432			
Analysis Method : SOP.T.40.044.AZ								
Analytical Batch : TE015977SOL								
Instrument Used : TE-095 "MS - Solvents 1"				Batch Date : 09/30/26 16:20:42				
Analyzed Date : 10/07/26 15:33:30								
Dilution : N/A								
Reagent : N/A								
Consumables : N/A								
Pipette : N/A								

Residual solvents screening is performed using GC-MS which can detect below single digit ppm concentrations. (Method: SOP.T.40.044.AZ for sample prep and analysis via ThermoScientific 1310-series GC equipped with a TriPlus 500 Headspace autosampler and detection carried out by ISQ7000-series mass spectrometer). Butanes are reported as the sum of n-Butane and Isobutane. Pentanes are reported as the sum of n-Pentane, Isopentane, and Neopentane. Hexanes are reported as the sum of n-Hexane, 2-Methylpentane, 3-Methylpentane, 2,2-Dimethylbutane, and 2,3-Dimethylbutane. Xylenes are reported as the sum of Ethyl Benzene, m-Xylene, p-Xylene, and o-Xylene.



Microbial

PASSED

ANALYTES		LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
SALMONELLA SPP.		1	1.00	1.00	Not Detected in 1g	pass/fail		PASS
ASPERGILLUS FLAVUS		0.999	1.00	1.00	Not Detected in 1g	pass/fail		PASS
ASPERGILLUS FUMIGATUS		0.999	1.00	1.00	Not Detected in 1g	pass/fail		PASS
ASPERGILLUS NIGER		0.999	1.00	1.00	Not Detected in 1g	pass/fail		PASS
ASPERGILLUS TERREUS		0.999	1.00	1.00	Not Detected in 1g	pass/fail		PASS
ESCHERICHIA COLI (REC)		100	10.0	10.0	<LOQ	CFU/g		PASS
Analyzed by: 527, 602, 882		Weight: 1.0501g		Extraction date: 10/06/26 17:33:39			Extracted by: 527	
Analysis Method : SOP.T.40.056B, SOP.T.40.058.FL, SOP.T.40.208, SOP.T.40.209.AZ								
Analytical Batch : TE016044MIC								
Instrument Used : TE-234 "bioMerieux GENE-UP"					Batch Date : 10/05/26 16:50:48			
Analyzed Date : 10/07/26 20:31:17								
Dilution : 10								
Reagent : 092426.143; 091226.18; 091426.282; 091426.23; 091426.25; 060126.101; 091726.05; 091426.232; 092326.21; 031726.11; 063026.11; 100226.R07; 091426.294								
Consumables : 2511109-119-CF; 349635; 5251116; 41310-229C4-229I; 25062525; 260103-7060-A; 1010550878; 1011134802; 260126001								
Pipette : TE-075 SN:RU31709; TE-053 SN:20E78952; TE-057 SN:21D58688; TE-058 SN:20C35427; TE-066 SN:20D56970; TE-069 SN:21B23920; TE-109 SN:20B18330; TE-256 Dispensette S Bottle Top Dispenser SN:20G36073; TE-258								

Microbiological screening for bacterial and fungal identification via Polymerase Chain Reaction (PCR) methods consisting of sample DNA amplified via tandem PCR as a crude lysate without purification. (Methods: SOP.T.40.058.AZ for sample prep and screening for Salmonella and Aspergillus sp. via BioMérieux GENE-UP RT-PCR and SOP.T.40.209.AZ for quantitative plating of E. coli on 3M Rapid E. coli Petrifilm.



Mycotoxins

PASSED

ANALYTES		LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
TOTAL AFLATOXINS		20	3.03	10.0	ND	ppb		PASS
AFLATOXIN B1		20	3.03	10.0	ND	ppb		PASS
AFLATOXIN B2		20	3.03	10.0	ND	ppb		PASS
AFLATOXIN G1		20	3.03	10.0	ND	ppb		PASS
AFLATOXIN G2		20	3.03	10.0	ND	ppb		PASS
OCHRATOXIN A		20	3.03	10.0	ND	ppb		PASS

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Testing results were obtained according to requirements stated in QMS.100.010.AZ Quality Manual.

Ariel Casey
Lab Director

State License #
00000024LCMD66604568
ISO 17025 Accreditation #
97164

Signature
10/07/26
Laboratory License #:
00000024LCMD66604568



1231 W. Warner Road, Suite 105
Tempe, AZ, 85284, US
(833) 465-8378

Kaycha Labs
Lemon Cherry Gelato Crumble
Strain: Lemon Cherry Gelato
Matrix: Concentrate
Classification: Indica
Type: Crumble



Certificate of Analysis

Pages 5 of 5

White Mountain Health Center
9420 W. Bell RD
Sun City, AZ, 85351, US
License #: 00000083ESGB09219996

Sample: TE61005003-007
Batch #: 7099 1759 4495 2698

Ordered: 10/05/26
Sampled: 10/05/26
Completed: 10/07/26

PASSED



Mycotoxins

PASSED

ANALYTES		LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
Analyzed by: 901, 602, 882		Weight: 1.048g	Extraction date: 10/06/26 11:05:15			Extracted by: 882,901		
Analysis Method : SOP.T.30.500, SOP.T.30.104.AZ, SOP.T.40.104.AZ								
Analytical Batch : TE016068MYC								
Instrument Used : TE-118 "MS/MS Pest/Myco 1"				Batch Date : 10/06/26 14:59:07				
Analyzed Date : 10/07/26 16:10:38								
Dilution : 50								
Reagent : N/A								
Consumables : N/A								
Pipette : N/A								
Aflatoxins B1, B2, G1, G2, and Ochratoxin A analysis using LC-MS/MS. (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.104.AZ for sample prep, and SOP.T.40.104.AZ for analysis on ThermoScientific Altis TSO with Vanquish UHPLC). Total Aflatoxins (sum of Aflotoxins B1, B2, G1, G2) must be <20ua/ka. Ochratoxin must be <20ua/ka.								



Heavy Metals

PASSED

ANALYTES	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
ARSENIC	0.4	0.0660	0.200	ND	ppm	V1	PASS
CADMIUM	0.4	0.0660	0.200	ND	ppm		PASS
LEAD	1	0.166	0.500	ND	ppm		PASS
MERCURY	0.2	0.0333	0.100	ND	ppm		PASS
Analyzed by: 331, 602, 882	Weight: 0.1923g	Extraction date: 10/07/26 12:04:10				Extracted by: 331	
Analysis Method : SOP.T.30.500, SOP.T.30.084.AZ, SOP.T.40.084.AZ							
Analytical Batch : TE016026HEA							
Instrument Used : TE-307 "Ted"				Batch Date : 10/03/26 19:48:56			
Analyzed Date : 10/07/26 15:27:17							
Dilution : 50							
Reagent : 092426.01; 093026.R15; 100626.R34; 100626.R32; 071326.05; 091126.01; 091025.01							
Consumables : 120125CH01; 1010435211; 1011134802; GD250006							
Pipette : TE-055 SN:21D58676 (2-20uL); TE-110 SN:20B18338 (100-1000uL); TE-169 SN: 20B16352 (Nitric Acid)							
Heavy Metals screening is performed using ICP-MS (Inductively Coupled Plasma – Mass Spectrometer) which can screen down to below single digit ppb concentrations for regulated heavy metals. (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.084.AZ for sample prep by microwave digestion, and SOP.T.40.084.AZ for analysis by ThermoScientific iCAP RQ ICP-MS).							

CONFIDENT CANNABIS QR

* Confident Cannabis sample ID: 2610KLAZ1267.6565



This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Testing results were obtained according to requirements stated in QMS.100.010.AZ Quality Manual.

Ariel Casey
Lab Director

State License #
00000024LCMD66604568
ISO 17025 Accreditation #
97164

Signature
10/07/26
Laboratory License #:
00000024LCMD66604568